

**FLORIDA COMMISSION ON HURRICANE
LOSS PROJECTION METHODOLOGY**

Post Office Box 13300
32317-3300
1801 Hermitage Boulevard, Suite 100
Tallahassee, Florida 32308
(850) 413-1349
www.sbafla.com/methodology

Anne Bert
Chief Operating Officer,
Florida Hurricane Catastrophe Fund

Lorilee Medders, Ph.D., Chair
Statistics Expert,
Florida State University

Robert Lee, FCAS
Actuary,
Florida Office of Insurance Regulation

Patricia Born, Ph.D.
Insurance Finance Expert,
Florida State University

Floyd Yager, FCAS, Vice Chair
Actuary,
Florida Hurricane Catastrophe Fund Advisory Council

Minchong Mao, FCAS, ASA, MAAA
Actuary,
Property and Casualty Industry

Barry Gilway
President/CEO & Executive Director,
Citizens Property Insurance Corporation

Jainendra Navlakha, Ph.D.
Computer Systems Design Expert,
Florida International University

Sha' Ron James
Insurance Consumer Advocate,
Florida Department of Financial Services

Hugh Willoughby, Ph.D.
Meteorology Expert,
Florida International University

Bryan Koon
Director,
Florida Division of Emergency Management

Vacant
Professional Structural Engineer

May 10, 2017

Dr. Shahid Hamid
Florida International University
International Hurricane Research Center, AHC 5, Room 222
10800 SW 10th Street
Miami, Florida 33199


Dear Dr. Hamid:

This will confirm the finding of the Florida Commission on Hurricane Loss Projection Methodology on May 10, 2017, that the Florida International University model has been determined acceptable for projecting hurricane loss costs and probable maximum loss levels for residential rate filings. The determination of acceptability expires on November 1, 2019.

The Commission has determined that the Florida Public Hurricane Loss Model Version 6.2 limited to the options selected in the input form provided in Standard A-1, Modeling Input Data and Output Reports, Disclosure 4 complies with the standards adopted by the Commission on October 13 & 14, 2015, and concludes that the Florida Public Hurricane Loss Model Version 6.2 limited to the Florida hurricane model options selected (Standard A-1, Modeling Input Data and Output Reports, Disclosure 4) is sufficiently accurate and reliable for projecting hurricane loss costs and probable maximum loss levels for residential property in Florida.

On behalf of the Commission, I congratulate you and your colleagues. We appreciate your participation and input in this process.

Sincerely,



Lori Medders, Chair